



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/574,129	11/02/2006	Chuan-Yuan Li	1801/179 PCT/US	9249
25297 7590 10/04/2007 JENKINS, WILSON, TAYLOR & HUNT, P. A. 3100 TOWER BLVD., Suite 1200 DURHAM, NC 27707			EXAMINER BOWMAN, AMY HUDSON	
			ART UNIT 1635	PAPER NUMBER
			MAIL DATE 10/04/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/574,129

Applicant(s)

LI ET AL.

Examiner

Amy H. Bowman

Art Unit

1635

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 3/31/06.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-63 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☒ Claim(s) 1-63 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Election/Restrictions

Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

Group I, claim(s) 1-35, drawn to a method of inhibiting expression of a hypoxia-induced gene in a cell comprising introducing a RNA into the cell to inhibit expression of the hypoxia-inducible gene, wherein the gene is HIF-1 α and comprises SEQ ID NO: 1. **Election of this group requires further election of one route of administration from claim 27 and 35, as explained below.**

Group II, claim(s) 1-35, drawn to a method of inhibiting expression of a hypoxia-induced gene in a cell comprising introducing a RNA into the cell to inhibit expression of the hypoxia-inducible gene, wherein the gene is HIF-1 α and comprises SEQ ID NO: 3. **Election of this group requires further election of one route of administration from claim 27 and 35, as explained below.**

Group III, claim(s) 36-63, drawn to a siRNA molecule that downregulates expression of HIF-1 α by RNA interference, wherein the sense region comprises a contiguous sequence of SEQ ID NO: 1.

Group IV, claim(s) 36-63, drawn to a siRNA molecule that downregulates expression of HIF-1 α by RNA interference, wherein the sense region comprises a contiguous sequence of SEQ ID NO: 3.

The inventions listed as Groups I-IV do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

37 CFR 1.475(b) states:

"An international or a national stage application containing claims to different categories of invention will be considered to have unity of invention if the claims

Art Unit: 1635

are drawn **only** to one of the following combinations of categories:

- (1) A product and a process specially adapted for the manufacture of said product; or
- (2) A product and process of use of said product; or
- (3) A product, a process specially adapted for the manufacture of the said product, and a use of the said product; or
- (4) A process and an apparatus or means specifically designed for carrying out the said process; or
- (5) A product, a process specially adapted for the manufacture of the said product, and an apparatus or means specifically designed for carrying out the said process.

37 CFR 1.475(c) states:

"If an application contains claims to more or less than one of the combination of categories of invention set forth in paragraph (b) of this section, unity of invention might not be present."

37 CFR 1.475(d) also states:

"If multiple products, processes of manufacture or uses are claimed, the first invention of the category first mentioned in the claims of the application and the first recited invention of each other categories related thereto will be considered as the main invention in the claims, see PCT Article 17(3)(a) and 1.476(c)."

37 CFR 1.475(e) further states:

"The determination whether a group of inventions is so linked as to form a single general inventive concept shall be made without regard to whether the inventions are claimed in separate claims or as alternative within a single claim."

This is interpreted to mean that the product must be the first claimed invention in order to have unity of invention with a process/process(s). In the instant case, claim 1 is a process claim and thus the instant case does not fall into any one of the only 5 combinations of categories which can have unity of invention as defined by 37 CFR 1.475(b). Furthermore, the claims are directed to more than one of the categories above because the claims are directed to more than one method and more than one composition due to the recitation of two different HIF-1 α target sequences.

The claims recite two different HIF-1 α target sequences. According to the guidelines in Section (f)(i)(a) of Annex B of the PCT Administrative Instructions, the

Art Unit: 1635

special technical feature as defined by PCT Rule 13.2 shall be considered to be met when all the alternatives of a Markush-group are of similar nature. For chemical alternatives, such as the claimed sequences, the Markush group shall be regarded as being of similar nature when

(A) all alternatives have a common property or activity and; (B)(1) a common structure is present, i.e., a significant structure is shared by all of the alternatives; or (B)(2) in cases where the common structure cannot be the unifying criteria, all alternatives belong to an art-recognized class of compounds in the art to which the invention pertains.

The instant sequences are considered to be each separate inventions for the following reasons: The sequences do not meet the criteria of (A), common property or activity or (B)(2), art recognized class of compounds. The sequences each behave in a different way in the context of the claimed invention. Each member of the class cannot be substituted, one for the other, with the expectation that the same intended result would be achieved. Further, the sequences do not meet the criteria of (B)(1), as they do not share, one with another, a common core structure. Each of the sequences comprises a separate and distinct sequence of nucleotides and the siRNA molecules targeted to each sequence would comprise a separate and distinct sequence based on the sequence to be targeted. Accordingly, unity of invention between the target sequences is lacking and each sequence claimed is considered to constitute a special technical feature. It is noted that SEQ ID NO: 7, as recited in claim 44, will be examined

Art Unit: 1635

to the extent to which it reads on the elected target sequence from the groups listed above.

This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species of routes of administration recited in claims 27 and 35 are as follows: intravenous administration, intrasynovial administration, transdermal administration, intramuscular administration, subcutaneous administration, topical administration, rectal administration, intravaginal administration, intratumoral administration, oral administration, buccal administration, nasal administration, parenteral administration, inhalation, and insufflation.

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Art Unit: 1635

The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: Each of the routes of administration comprise separate method step considerations. Each route of administration requires a separate and distinct search and corresponding examination.

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103 (a) of the other invention.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amy H. Bowman whose telephone number is (571) 272-0755. The examiner can normally be reached on Monday-Thursday 6:30 - 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Doug Schultz can be reached on (571) 272-0763. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Amy H. Bowman/
Patent Examiner
Art Unit 1635